

INFORMATIVE

TECHNICAL SPECIFICATION

REF: EQ AIMEN/ 6-2015

TABLE OF CONTENTS

- Pag. 2.- Background I, II y III
- Pag. 3.- IV.- Calling Entity
- Pag. 3.- V.- Financing:
- Pag. 3.- VI.- Regulation:

Pag. 4.-Definitions of the terms that will appear in the text of the Administrative Basis or Technical Specifications:

- A. Contracting Body
- **B.** Contracting Committee
- C. Minimum Quorum for the valid constitution of the Contracting Committee
- D. Votes of the Contracting Committee
- E. Committee of Experts
- F. Contract Responsible
- G. Delegate of the Awardee
- H. Notifications
- I. Calendar days- Working days.-.
- J. Working hours
- K. Language

BASIS

Pag.5.- 1.Object of the contract.

Pag.6.- 2. Needs to be met through the contract.

Pag.6.- 3. Object of this Specifications Sheet.

Pag.6.- 6. EXPRESS ACCEPTANCE OF THE OBSERVANCE OF ALL AND ANY REQUIREMENT AND TECHNICAL SPECIFICATION OF THE EQUIPMENT TO BE SUPPLIED

Pag.7.- TECHNICAL SPECIFICATION



Background

I.- The Asociación de Investigación Metalúrgica del Noroeste (AIMEN) [Metallurgical Research Association of the North West] is a private non-profit entity incorporated in Vigo in 1967 and promoted by a group of Galician businessmen with the aim of boosting Research, Technological Development and Innovation in the Industry.

AIMEN is the Center of reference in the field of materials in the Autonomous Community of Galicia and it is recognized and registered as Center of Innovation and Technology under number 38 in the Registry of the Science and Technology Inter-Ministerial Commission (CICYT), dated on 21 May 1998. Currently, the body has more than one hundred companies associated and it serves more than seven hundred organizations devoted to industrial and commercial activities.

Given the transversal nature of the technologies and services developed by the Center, AIMEN renders its services to a wide range of sectors: motor, naval, aeronautic, mechanical metal, building, energy, among others. In addition, AIMEN plans to cover other sectors, like the textile and biotechnical industries, thus broadening its frame of action.

For more than forty years of activity, AIMEN's main objective has been contributing to the development and strengthening of the competitive capacity of companies in the fields of technology and innovation, providing companies with technological services, scientific-technical support and R&D activities in the following areas: metallurgy, forming processes, welding, laser technologies, industrial design and engineering, the environment, characterization of materials and failure analysis, non-destructive tests, calibration, industrial organization, quality management, environmental management, hazard prevention at work and technological training.

II.- AIMEN has built the new building for the Laser Processing Center on a plot covering 11,000 m², located in the future Business Park of Cataboy-Porriño SURPPI 2 (Sector 2) lot 3; all of this according to the Execution and Basic Projects of the Architect Mr. Santiago Ulloa Ayora in May 2010. For this purpose, a tender was called in the modality of open procedure.

III.- This document aims to establish the administrative basis of the tender which, under the modality of open procedure, will be carried out in order to choose the Awardee of the Supply Agreement of the goods described in the Schedule of Technical Specifications.



IV.- Calling Entity

The Asociación de Investigación Metalúrgica del Noroeste (AIMEN), which calls the tender, is located at: Relva, 27A – Torneiros 36410 PORRIÑO (Pontevedra) CIF (Tax Identification Code): G36606291 Phone: 00.34.986.344.000

www.aimen.es

E-mail (for issues related to the tender) : licitaciones@aimen.es

PROFILE OF THE CONTRACTING PARTY: It can be checked at: HYPERLINK "http://www.aimen.es/"<u>www.aimen.es</u>, where the general instructions for contracting approved within the Association can also be found.

V.- Financing:

A collaboration agreement has been signed between the Ministry of Economy and Competitiveness of the Government of Spain, the Regional Department of Economy and Industry of the Xunta de Galicia (Galician Regional Government) and AIMEN, so the **project is co-financed by the aforementioned Ministry, charged to the European Regional Development Fund (ERDF)** 2007-2013 "A way of making Europe" and the Xunta de Galicia.

VI.- Regulation:

Taking into account the origin of the funds, and in spite of the provisions of sections 9, 17, 190, 191 and 192, regarding 3.3 of TRLCSP (Leg. R. D. 3/2011) the contract would not be subject to the harmonized regulation of the TRLCSP. According to the provisions of Council Regulation (EC) 1083/2006, laying down general provisions on the European Regional Development Fund and the Cohesion Fund (which abolishes Regulation CE 1260/1999), and the Community regulations on contracting, this tender is inspired by and is adapted to the provisions of the revised text of the Law on Public Sector Contracts (TRLCSP) on anything related to the preparation process, publicity, tender stage, election, awarding and execution of the contract (and thus respecting the principles of publicity, concurrence, transparency, confidentiality, equality and non-discrimination included in the abovementioned TRLCSP and Community regulations).

To be more specific, and taking into account that the contract is not under the suppositions of art. 17 of the TRLCSP as harmonized regulations, the procedure is subject to the information principles and provisions included in arts. 157 and following and 191 and 192 of the TRLCSP.

Therefore, and according to the aforementioned terms, Leg. R.D. 3/2011, of 14 November, on Contracts of the Public Sector has been basically considered when writing this Schedule; as well as the General Law on Subsidies, the General Regulation on Contracts of Public Administrations and other applicable private Law regulations, when applicable.



In addition, the Contracting Internal Instructions approved by the Association will be applicable. They can be checked at the Association's website.

Definitions of the terms that will appear in the text of the administrative basis or technical specifications:

A. Contracting Body: AIMEN

B. Contracting Committee: The offers will be assessed by the Contracting Committee, which will be made up by the following members:

CHAIRMAN: Chairman of AIMEN, who will be in charge of leading the meetings and responsible for the functions of the maximum representative of the Committee.

MEMBER: Adviser and Deputy Chairman of AIMEN. In case of absence of the Chairman, he/she shall take on his/her functions, standing in for him/her as established in the General Instructions for Contracting of the Association.

MEMBER: Managing Director of AIMEN.

MEMBER: Adviser of the Board of Directors of AIMEN.

MEMBER: Member specially invited according to the provisions of the General Instructions for Contracting, head of the Directorate for Technology of AIMEN, whose participation is appropriate as a result of his/her profile and proven professional experience.

SECRETARY: Secretary of the Board of Directors and General Assembly of AIMEN, who shall not have the right to vote, limiting his/her action, when applicable, to the provision of advice to the Commission. He/she shall be in charge of writing the minutes of the meetings, recording as faithfully as possible the relevant agreements concerning the tender. The minutes will be written at the same act or, with authorization of the meeting will be recorded, writing the definitive minutes as soon as possible and within the five working days following the meeting. The minutes shall be signed by the Secretary and the Chairman and then they will be transferred to the members of the Committee.

C. Minimum Quorum for the valid constitution of the Contracting Committee: The Contracting Committee shall be considered as validly constituted if at least 3/5 of its members are present.

D. Votes of the Contracting Committee: Agreements shall be taken by simple majority of the members who are present.

E. Committee of Experts: Made up by the people listed below, who are in charge of the execution of the tasks indicated in the administrative basis: 3 engineers (at least one of them must be a Superior Engineer) or, failing that, university graduates of other fields, appointed by AIMEN.

F. Contract Responsible: Legal Representative of AIMEN appointed in the contract to be signed with the awardee. Should there not be an expressed appointment, the Managing Director of

Pliego de Prescripciones Técnicas Concurso Abierto
--



AIMEN would be.

G. Delegate of the Awardee: Representative appointed by the tenderer for the purposes of this schedule and the contract to be signed with the awardee.

H. Notifications: all and any notification made by AIMEN at the addresses or e-mail addresses provided by the tenderers will be valid.

I. Calendar days: every day of the year. **Working days:** every day but Sundays and public holidays (local holidays in Porriño and provincial, autonomic or state holidays). Unless otherwise stated, the reference to days in this schedule shall refer to calendar days.

J. Working hours: AIMEN's working hours for the receipt of documentation are from 9.00 to 13.30 from Monday to Friday. The Contracting Committee can authorize another timetable and days for the submission of the documentation, in case of need, for rectifications or similar cases. Should the documentation receipt service be authorized in the afternoon, documents can be submitted out of the abovementioned working hours (after confirming this possibility with the Calling Entity).

The times indicated refer to the local time in Porriño (province of Pontevedra, Spain).

K. Language: all and every communication made by the interested parties shall be in Spanish or Galician. The documents to be submitted in the tender offers can be in Spanish, Galician or English (if they are submitted in another language, a translation to any of those three languages shall be attached). The submission in another language shall not be a reason for exclusion, unless AIMEN does not have qualified personnel for the translation among its staff.

It has been included an English translation of these Specifications Sheets for information purposes only

BASIS

1. Object of the contract.

The object of the contract is the supply and installation of the goods indicated and detailed in the Schedule of Technical Specifications; including the delivery of the documentation required in the abovementioned schedules, the execution of the training actions and tasks and all the obligations for the awardee deriving from this document, the schedule of technical specifications and the contract undersigned (the awarding of which is object to this tender process).

Any additional improvement offered by the tenderer is included, unless AIMEN expressly rejects their addition or execution.

Therefore, the obligations of the awardee for the observance of the object of the contract concerning the supply and installation of the goods acquired include any packaging tasks or needs, transportation, storage at AIMEN's premises —including the necessary means, such as machinery, means of transport, elevators, etc.— until the definite and complete installation of



the good for its operation with all the technical requirements demanded by this document and by the Schedule of Technical Basis of this procedure (including those necessary tests for this purpose, even rectifications or repairs that could be made within the guarantee period). The good object to this tender shall only be considered as duly delivered once these requirements and obligations have been met (especially concerning the maximum deadline period for each lot).

2. Needs to be met through the contract.

The object of the execution of the contract and the supply and installation of the goods acquired is to provide the new building of AIMEN's Laser Processing Center with the goods needed for the development of its activity, as well as the optimization of the investment made. The goods object to this procedure, and according to their description in the Schedule of Technical Specifications, as a result of their characteristics, are essential for this purpose.

3. Object of this Specifications Sheet.

The purpose of this Technical Specifications Sheet is to define and clarify the minimum characteristics for the elements subject to acquisition which in turn constitute the object of the contracts to be awarded in the present proceeding.

In any case they are considered as essential minimum requirements to be met in order to consider the bid submitted as valid.

This Specifications Sheet is drafted without prejudice to the drafting of the Schedule of Administrative Clauses to be complied with by those interested in submitting their bids to this tender.

4. EXPRESS ACCEPTANCE OF THE OBSERVANCE OF ALL AND ANY REQUIREMENT AND TECHNICAL SPECIFICATION OF THE EQUIPMENT TO BE SUPPLIED, according to the Schedule of Technical Specifications of this procedure.

THE SUBMISSION OF A TENDER OFFER in this procedure ENTAILS THE EXPRESS AND COMPREHENSIVE ACCEPTANCE by the tenderer, WHO AGREES TO OBSERVE THE TECHNICAL SPECIFICATIONS INCLUDED IN THE SCHEDULE OF TECHNICAL SPECIFICATIONS of this procedure. IT ALSO ENTAILS THE EXPRESS KNOWLEDGE OF AL THE TENDER SCHEDULES OF CONDITIONS (both administrative and technical specifications).

It is expressly indicated that, in case the tender offer includes improvements with respect to the technical specifications included in the Schedules, the tenderer undertakes to meet them if he/she is the awardee —unless AIMEN expressly rejects their inclusion or execution— but the offer of these improvements will not be considered when giving the points that decide the awarding of the contract, except for the ones expressly established in these schedules or



technical specifications.

Likewise, if the Committee of Experts, to be herein referred to later on, considers that the improvements or variations offered by the tenderer involve the inobservance of any of the inexcusable requirements demanded in the Schedules of Technical Specifications —because they improve any feature of the good, but they do not meet other requirements demanded — it will inform about the situation and will propose the exclusion of the tender offer.

Porriño, on 4 june 2015

TECHNICAL SPECIFICATION

Pulsed laser system in the femtosecond regime

This is a laser source able of emitting energy pulses with duration below the typical energy decay period of the electrons in the crystal lattice. The ultrashort pulses allow completely new process regimes due to the absence of thermal phenomena and the deterministic behavior, opening unprecedented fields in the processing of materials. The desired characteristics, in addition to the ability to generate pulses below the 800 femtoseconds long, are the stability, robustness and easy control.

The machining rates are usually very low with this kind of lasers, which must be compensated with very high repetition rates in the range of several hundreds of kilohertz, preferably with the ability to work in the megahertz range. Taking advantage of this kind of equipment requires high focusing ability (high beam quality in the fundamental mode), good control of the emission, the ability of synchronize the laser with the peripherals (displacement systems, beam delivery), etc. The wide range of new accessible processes requires a range of pulse energy equally broad, so the ability to control the amplification of the pulse without losing its high compression is also of high importance.



Technical specifications:

- Pulsed laser source with wavelength in the near infrared, preferably 1030nm.
- Pulse length of 400 fs or below. The laser source must allow controlling of the pulse length by the operator, from 400 fs or even less, until 10ps.
- Pulse energy of 40 microjules or higher.
- Average power of 15W or higher.
- Repetition rates controllable by the operator, from single shot until the MHz range.
- High quality beam: fundamental mode (TEM00) with M2<1.2
- Stability of the pulse energy: better than 2% RMS (12h).
- Capability of pulse synchronization and pulse burst generation.
- The system must include the power source and the control unit which allows the integration of the system in a micromachining machine already available at AIMEN facilities (Aerotech control), for control and synchronization of the laser parameters (repetition rate and pulse length) from the machine.
- The system must include a conversion module for generation of the second and third harmonics (SHG/THG) adequate for the laser source included in the offer. The conversion efficiency must be of 40% or higher for the second harmonic and 15% or higher in the case of the third harmonic.
- Cooling system if required.

Additionally, the offer must include an instrument for the measurement and analysis of laser beam spatial irradiance profiles in accordance with the ISO standard 11146, with an integrated power meter for power measurement in accordance with ISO 13694.

The laser profilometer must be capable to measure and analyze the laser beam of the femtosecond laser source included in the offer, for the three different wavelengths, even in the focal point of the beam after the collimation and focusing lenses. The detector should measure beam diameter sizes range from millimeters until 25 microns or smaller, with guaranteed accuracy and precision.

The measurement system must include software for the analysis of the measured beams in accordance with the current standards.

Other technical requirements for the warranty and training which must be included in the offer:

- Warranty period, at least 48 months on the laser source and 24 months on other auxiliary elements.
- Packaging for the shipment
- Shipment to AIMEN facilities
- Unloading at AIMEN facilities
- Installation and commissioning at AIMEN facilities
- Training course, minimum duration of 1 day, at AIMEN facilities
- Delivery time of 16 weeks or less
- Manual for installation, operation and maintenance in Spanish and/or English.
- Basic manual for operation in Spanish.